

From: [Mescher, Jean](#)
To: KILBURN@adeq.state.ar.us; [Egan, Marilyn](#)
Cc: Shawn.Ghose/R6/USEPA/US@EPA
Subject: FW: [FWD: Monthly Arkwood Results (3/17/11)]
Date: 03/28/2011 12:48 PM
Attachments: [1103256.pdf](#)

Dianna and Marilyn,

Please see attached analytical results for the 3/17/11 sampling at the Arkwood Site: 14.2ppb PCP at the mouth and <5.00ppb PCP at the weir.

Jean

From: jfleur@oxfordeands.com [mailto:jfleur@oxfordeands.com]
Sent: Monday, March 28, 2011 8:59 AM
To: Mescher, Jean
Subject: [FWD: Monthly Arkwood Results (3/17/11)]

Jean,

Attached are the monthly sampling results for the Arkwood site. The results are in line with recent data points although the concentration at the mouth of the spring was reported slightly greater than recent data points.

If you have any questions, please let me know.

Best Regards,

Jim

James E. Fleer
Principal Engineer
Oxford Environmental and Safety, Inc.
913-706-3422
jfleur@oxfordeands.com

----- Original Message -----

Subject: Monthly Arkwood Results (3/17/11)
From: "Sydney James" <sjames@arkansasanalytical.com>
Date: Fri, March 25, 2011 2:41 pm
To: <jfleur@oxfordeands.com>

Thanks,
Sydney James Randles

11701 Interstate 30
Bldg. 1, Ste. 115
Little Rock, AR 72209
501-455-3233
501-455-6118 (fax)

This e-mail and any attachments are confidential. If you receive this message in error or are not the intended recipient, you should not retain, distribute, disclose or use any of this information and you should destroy the e-mail and any attachments or copies.